

## TEST REPORT

REPORT NO.: J20121270318

PAGE : 1 OF 21

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer overleaf for Conditions Relating To The Use of Test Report.

Applicant : **HYPERACK SDN. BHD.**  
Wisma Hyperack  
No.40-G & MF, Lintang Gelugor,  
Off Persiaran Sultan Ibrahim,  
41300 Klang, Selangor, Malaysia.

Manufacturer : Same applicant

Product : **Colour Rack (i), Boltless Rack (ii,iii) Heavy Duty Pallet Racking (iv,v,vi)**

Reference Standard / Method of test : **ASTM D642 :  
- Compression Test**

Description of sample : Brand Name : HYPERACK  
Model / Type :  
i. Not Specified  
ii. DRB – Butterfly, LDU 1.5mm  
iii. DRB – Rivet, LDU 2.0 mm  
iv. Box Beam : 80\*40 mm, Upright UR70  
v. Box Beam : 100\*50 mm, Upright : UR90  
vi. Box Beam : 120\*50 mm, Upright : UR90

Serial Number : Not Specified

Quantity : 6 pcs

Photograph : Refer to appendix I , II & III

Our reference : SQAS/MPT/14/9

Date received : 30 April 2012

Job no./Ref. No. : J20121270318

Description of test result : The submitted test sample as described in this test report complied with the requirement of the above Reference Standard.

Issued date : **25 MAY 2012**

Approved Signatories

.....  
**MOHD AZLAN BIN MUSTAFFA, CPLP**  
Testing Executive



.....  
**HAJI MOHD ADZHAR BIN AHMAD**  
Head  
Mechanical Section  
Testing Services Department

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## RESULTS

TEST METHOD	MODEL	DIMENSION	RESULTS	
			Peak Force ( kg )	Deformation at Peak (mm)
<b>Compression Test</b>  <b>Adoption to ASTM D642</b>  Test Velocity :12.7 mm/min Yield Detection : 10%  <b>Note:</b> Please refer to appendix II for compression test photo and appendix III for force graph results	Colour Rack	(H) 1840 X (D) 350 X (L) 900 mm ( 4 Level )	199.0	6.9
	Boltless Rack 1.5 mm	(H) 6' X (D) 2' X (L) 4' ( 4 Level )	648.6	17.2
	Boltless Rack 2.0 mm	(H) 6' X (D) 2' X (L) 4' ( 4 Level )	1383	13.9
	Pallet Racking UR70	(H) 1800 X (W) 900 X 2460 mm	3939	72.4
	Pallet Racking UR90 - 1	(H) 1800 X (W) 900 X 2700 mm	6041	63.0
	Pallet Racking UR90 - 2	(H) 1800 X (W) 900 X 2700 mm	7628	53.1

**Observation:**

Upon completion of the test, all the samples were found in **satisfactory condition.**





This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix I

#### Photograph of sample



*Agri*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## Appendix II

### Photograph of sample



*Agir*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix III

#### Photograph of sample



*Opiz*





This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

#### Appendix IV

#### Photograph of sample



*Signature*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix V

#### Photograph of sample



*Signature*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## Appendix VI

### Photograph of sample



*Signature*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## Appendix VII

### Photograph of the sample under Compression Machine



*Signature*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix VIII

#### Photograph of the sample under Compression Machine





This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix IX

#### Photograph of the sample under Compression Machine



*Signature*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## Appendix X

### Photograph of the sample under Compression Machine



*Signature*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix XI

#### Photograph of the sample under Compression Machine



*Opri R*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## Appendix XII

### Photograph of the sample under Compression Machine



*Signature*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Appendix XIII

#### Force Graph


Please refer pages 16, 17, 18, 19, 20 & 21



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

**TouchTest**  
Compression

Sample ID	Peak Force (kg)	Defl @ Pk (cm)	PreLoad (kg)	Test Speed (cm/min)	Temp (deg C)	%RH	Time	Date
J20121270318 COLOUR RACK #1	199.0	0.69	5.0	1.27	27.5	60.5	12:34 PM	08-May-12



Sample ID

J20121270318 COLOUR RACK #1




*Agil*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

**TouchTest**  
Compression

Sample ID	Peak Force (kg)	Defl @ Pk (cm)	PreLoad (kg)	Test Speed (cm/min)	Temp (deg C)	%RH	Time	Date
J20121270318 BOLTESS RACK 1.5 MM #1	648.6	1.72	5.0	1.27	27.5	60.1	12.45 PM	08-May-12




*Agri*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

**TouchTest**  
Compression

Sample ID: J20121270318 BOLTLESS RACK 2.0 MM #1  
Peak Force (kg): 1383  
Defl @ Pk (cm): 1.39  
PreLoad (kg): 5.0  
Test Speed (cm/min): 1.27  
Temp (deg C): 27.9  
%RH: 59.7  
Time: 12:54 PM  
Date: 08-May-12




*Signature*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

**TouchTest**  
Compression

Sample ID	Peak Force (kg)	Defl @ Pk (cm)	PreLoad (kg)	Test Speed (cm/min)	Temp (deg C)	%RH	Time	Date
J20121270318 PALLET RACKING UR70 #1	3939	7.24	10.0	1.27	27.4	61.1	01:22 PM	08-May-12




*Signature*



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

**TouchTest**  
Compression

Sample ID	Peak Force (kg)	Defl @ Pk (cm)	PreLoad (kg)	Test Speed (cm/min)	Temp (deg C)	%RH	Time	Date
J20121270318 PALLET RACKING UR90 - 1 #1	6041	6.30	10.0	1.27	27.4	60.5	01:48 PM	08-May-12




*Agri*

This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

**TouchTest**  
Compression

Sample ID	Peak Force (kg)	Defl @ Pk (cm)	PreLoad (kg)	Test Speed (cm/min)	Temp (deg C)	%RH	Time	Date
J20121270318 PALLET RACKING UR90 - 2 #1	7628	5.31	10.0	1.27	28.3	58.6	02.06 PM	08-May-12



*Signature*

## TEST REPORT

REPORT NO.: J20121270167-S1	PAGE : 1 OF 2
This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer overleaf for Conditions Relating To The Use of Test Report.	

Applicant : **HYPERACK SDN. BHD.**  
Wisma Hyperack No.40-G & MF, Lintang Gelugor,  
Off Persiaran Sultan Ibrahim,  
41300 Klang, Selangor, Malaysia.

Manufacturer : Same as applicant

Product : **Heavy Duty Pallet Racking**

Reference Standard / Method of test : **Compression Test (Adoption to ASTM D642)**

Description of sample : Brand Name : HYPERACK  
Model / Type : Box Beam 90 X 50 (mm), Upright: UR90  
Dimension : H1800 X W900 X L2700 (mm)  
Serial Number : Not specified  
Quantity : 1 Unit  
Photograph : Refer to page 2

Our reference : J20121270167

Date received : 7 March 2012

Description of test result : The submitted test sample as described in this test report complied with the requirement of the above Reference Standard.

Issued date : **04 MAY 2012**

Approved Signatories

.....  
**MOHD FAUZELY BIN MUSTAPA BAKARI**  
Testing Executive

.....  
**HAJI MOHD ADZHAR BIN AHMAD**  
Head  
Mechanical Section  
Testing Services Department





This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

### Photograph of Sample




Compression Test Setup for Heavy Duty Pallet Racking



This report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.

## RESULTS

Compression Graph



*Signature*